

## SUPPLEMENTARY MATERIALS

to the article E.A. Antropova , I.V. Yatsyk , P.S. Demenkov , T.V. Ivanisenko , V.A. Ivanisenko  
 “Identification of proteins regulating phenotype-associated genes of M2 macrophages:  
 a bioinformatic analysis”

**Table S1.** List of phenotype-associated genes for the M1, M2a, M2b, M2c, and M2d macrophage phenotypes. Proteins identified as markers by the authors are highlighted in red.

Gene name (full name, synonyms)	References
<b>M1</b>	
ARG2 ( <i>Arginase-2, ARG12</i> )	Martín-Fernández et al., 2016
<b>CCL2</b> ( <i>C-C motif chemokine 2, MCP-1</i> )	De Boer et al., 2015 Lee et al., 2016
<b>CCL3</b> ( <i>C-C motif chemokine 3, MIP-1a</i> )	Cassol et al., 2009 Baitsch et al., 2011
<b>CCL4</b> ( <i>C-C motif chemokine 4, MIP-1b</i> )	Cassol et al., 2009 Bardi et al., 2018
<b>CCL5</b> ( <i>C-C motif chemokine 5, RANTES</i> )	Chhor et al., 2013 De Boer et al., 2015 Engström et al., 2013 Martinez et al., 2006
CCL7 ( <i>C-C motif chemokine 2, MCP-3</i> )	Engström et al., 2013 Juknat et al., 2013
CCL8 ( <i>C-C motif chemokine 8, MCP-2</i> )	Engström et al., 2013 Martinez et al., 2006 Gabrusiewicz et al., 2016
CCL15 ( <i>C-C motif chemokine 15, MIP-5</i> )	Engström et al., 2013 Martinez et al., 2006
CCL19 ( <i>C-C motif chemokine 19, MIP-3B</i> )	Furusato et al., 2011 Martinez et al., 2006
CCL20 ( <i>C-C motif chemokine 20, MIP-3A</i> )	Martinez et al., 2006
<b>CCR2</b> ( <i>C-C chemokine receptor type 2, CD192, CMKBR2</i> )	Otsuka et al., 2018 Lee et al., 2016
CCR7 ( <i>C-C chemokine receptor type 7, CMKBR7, EB1, EV11</i> )	Hu et al., 2012 Martinez et al., 2006 Lewis et al., 2019
CD11C ( <i>Integrin alpha-X, ITGAX</i> )	Islam et al., 2021 Ai et al., 2021 Alamri et al., 2022
CD38 ( <i>ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1</i> )	Jablonski et al., 2015 Islam et al., 2021 Alamri et al., 2022
CD40 ( <i>Tumor necrosis factor receptor superfamily member 5, TNFRSF5</i> )	Juknat et al., 2013
<b>CD64</b> ( <i>High affinity immunoglobulin gamma Fc receptor I, FCgRI, FCGR1A, FCGR1A FCG1, FCGR1, IGFR1</i> )	Fowler et al., 2017 Alamri et al., 2022 Tarique et al., 2015
<b>CD80</b> ( <i>T-lymphocyte activation antigen CD80, B7</i> )	Islam et al., 2021 Ai et al., 2021 Trombetta et al., 2018 Wu et al., 2021
<b>CD86</b> ( <i>T-lymphocyte activation antigen CD86, B70, BU63, CTLA-4 counter-receptor B7.2, FUN-1</i> )	Trombetta et al., 2018 Moretti et al., 2016 Liu et al., 2017 Nishikoba et al., 2020
CSF2 ( <i>Granulocyte-macrophage colony-stimulating factor, GM-CSF</i> )	Melton et al., 2015
<b>CXCL1</b> ( <i>GRO, GROA, MSGAa</i> )	Chhor et al., 2013 Engström et al., 2013 Melton et al., 2015
<b>CXCL2</b> ( <i>Growth-regulated alpha protein, GRO, MIP2a</i> )	Bardi et al., 2018
<b>CXCL5</b> ( <i>C-X-C motif chemokine 5, ENA-78</i> )	Bardi et al., 2018
<b>CXCL9</b> ( <i>C-X-C motif chemokine 9, CMK, MIG, SCYB9</i> )	Engström et al., 2013 Martinez et al., 2006 Da Silva et al., 2021

**Table S1 (continued)**

Gene name (full name, synonyms)	References
<b>CXCL10</b> (C-X-C motif chemokine 10, IP-10, INP10, SCYB10)	Martinez et al., 2006 Wu et al., 2021 Nakanishi et al., 2011 Martinez, Gordon, 2014 Da Silva et al., 2021
CXCL11 (C-X-C motif chemokine 11, ITAC, SCYB11, SCYB9B)	Lewis et al., 2019 Furusato et al., 2011 Martinez et al., 2006
FAM26F (Calcium homeostasis modulator protein 6, CAHM6, Family with sequence similarity 26, member F)	Fujiwara et al., 2016
<b>FCGR2B</b> (Low affinity immunoglobulin gamma Fc region receptor II-b, CD32, FCG2, IGFR2)	Moretti et al., 2016 Liu et al., 2017
<b>FCGR3A</b> (Low affinity immunoglobulin gamma Fc region receptor III-A, CD16 CD16A, FCG3, FCGR3, IGFR)	Liu et al., 2017 Kurtzberg et al., 2015
GBP2 (Guanylate-binding protein 2)	Fujiwara et al., 2016
<b>GBP5</b> (Guanylate-binding protein 5, GTP-binding protein 5)	Fujiwara et al., 2016
<b>HLA-DRA</b> (HLA class II histocompatibility antigen, DR alpha chain)	Wu et al., 2021 Buddingh et al., 2011
HMGB1 (high-mobility group box 1)	Lotze et al., 2005
<b>IDO1</b> (Indoleamine 2,3-dioxygenase 1, IDO, INDO, 123O1)	Unuvar Purcu et al., 2022
IFNA (Interferon alpha)	Anders et al., 2022
IFNB (Interferon beta, Fibroblast interferon)	Juknat et al., 2013
IFNG (Interferon gamma)	Martin-Fernández et al., 2016 Melton et al., 2015 Ferrante et al., 2013
IL1A (Interleukin-1 alpha, Hematopoietin-1)	Juknat et al., 2013
<b>IL1B</b> (Interleukin-1 beta)	Chhor et al., 2013 De Boer et al., 2015 Wu et al., 2021 Lewis et al., 2019
IL1R1 (Interleukin-1 receptor type 1, IL1RA, IL1RT1)	Huang et al., 2018
<b>IL2RA</b> (IL-2 receptor subunit alpha, TAC antigen, p55, CD25, Il1rn)	Martinez et al., 2006 MacParland et al., 2017
IL3 (Interleukin-3)	Melton et al., 2015
<b>IL6</b> (Interleukin-6)	Chhor et al., 2013 De Boer et al., 2015 Engström et al., 2013 Martinez et al., 2006 Wu et al., 2021
IL7R (Interleukin-7 receptor subunit alpha, IL7RA, CD127)	Martinez et al., 2006
IL8 (Interleukin-8, CXCL8)	Engström et al., 2013
<b>IL12B</b> (Interleukin-12 subunit beta)	Chhor et al., 2013 Fowler et al., 2017 Martinez et al., 2006
IL15 (Interleukin-15)	Gabusiewicz et al., 2016
<b>IL15RA</b> (Interleukin-15 receptor subunit alpha, CD215)	Ait-Lounis et al., 2015 Benoit et al., 2008 Gabusiewicz et al., 2016
IL17A (Interleukin-17A, CTLA8, IL17)	Hirani et al., 2021
<b>IL18</b> (Interleukin-1, CXCL8)	De Boer et al., 2015
IL23A (Interleukin-23 subunit alpha)	Furusato et al., 2011 Gabusiewicz et al., 2016
IRF1 (Interferon regulatory factor 1)	Martinez et al., 2006 Chu et al., 2021 Gabusiewicz et al., 2016
IRF4 (Interferon regulatory factor 4)	Gabusiewicz et al., 2016

**Table S1 (continued)**

Gene name (full name, synonyms)	References
<i>IRF7</i> (Interferon regulatory factor 7)	Gabrusiewicz et al., 2016
<i>ISG20</i> (Interferon-stimulated gene 20 kDa protein)	Szulzewsky et al., 2015
<i>KCNN2</i> (Small conductance calcium-activated potassium channel protein 2)	Gabrusiewicz et al., 2016
<i>LAG3</i> (Lymphocyte-activation gene 3)	Fujiwara et al., 2016
<b>MARCO</b> (SCARA2, Macrophage receptor MARCO Alternative name(s): Macrophage receptor with collagenous structure, Scavenger receptor class A member 2)	Gaiser et al., 2021
<i>MET</i> (Hepatocyte growth factor receptor, HGF receptor, proto-oncogene c-Met, Scatter factor receptor, SF receptor tyrosine-protein kinase Met)	Nishikoba et al., 2020 Gabrusiewicz et al., 2016
<i>MIF</i> (Macrophage migration inhibitory factor, GLIF, MMIF)	Jetten et al., 2014
<i>MMP13</i> (Collagenase 3, Matrix metalloproteinase-13)	Juknat et al., 2013
<i>NAMPT</i> (Nicotinamide phosphoribosyltransferase, PBEF, Visfatin)	Martinez et al., 2006 Halvorsen et al., 2015
<b>NFKB1</b> (Nuclear factor NF-kappa-B p105 subunit)	De Boer et al., 2015
<b>NOS2</b> (Nitric oxide synthase, inducible)	Chhor et al., 2013 De Boer et al., 2015 Martín-Fernández et al., 2016 Kurtzberg et al., 2015 Nishikoba et al., 2020 Da Silva et al., 2021
<b>PTGS2</b> (Prostaglandin G/H synthase 2, COX2, PGH2)	Chhor et al., 2013 Nasirzade et al., 2021 Baitsch et al., 2011
<i>SOCS3</i> (Suppressor of cytokine signaling 3)	Arnold et al., 2014 Huang et al., 2018
<i>STAT1</i> (Signal transducer and activator of transcription 1)	Gabrusiewicz et al., 2016
<i>TIMP1</i> (Metalloproteinase inhibitor 1)	Melton et al., 2015
<i>THBS1</i> (thrombospondin-1, TSP1)	Jetten et al., 2014
<b>TLR2</b> (Toll-like receptor 2, TIL4)	Beyer et al., 2012 Trombetta et al., 2018
<b>TLR4</b> (Toll-like receptor 4)	Trombetta et al., 2018 Huang et al., 2018
<b>TNFA</b> (Tumor necrosis factor, TNFA, TNFSF2)	Medina-Buelvas et al., 2019 Chhor et al., 2013 De Boer et al., 2015 Engström et al., 2013 Martinez et al., 2006 Wu et al., 2021 Nishikoba et al., 2020
<i>UBD</i> (Ubiquitin D)	Fujiwara et al., 2016
<i>VEGFA</i> (Vascular endothelial growth factor A)	Jetten et al., 2014 Melton et al., 2015
M2a	
<i>ALOX15</i> (Polyunsaturated fatty acid lipooxygenase ALOX15, 15-LOX, 15-lipoxygenase)	Abrial et al., 2015
<i>ARG1</i> (Arginase-1)	Chhor et al., 2013 Kisucká et al., 2021 Wang et al., 2021
<i>MYC</i> (Myc proto-oncogene protein, BHLHE39)	Luiz et al., 2020
<i>CADH1</i> (Cadherin-1, CDHE, UVO)	Yao et al., 2018 Semnani et al., 2011
<i>CCL1</i> (C-C motif chemokine 1, SCYA1)	Liao et al., 2017
<i>CCL2</i> (C-C motif chemokine 2, MCP-1)	Chhor et al., 2013 Jetten et al., 2014
<i>CCL7</i> (C-C motif chemokine 2, MCP-3)	Melton et al., 2015

**Table S1 (continued)**

Gene name (full name, synonyms)	References
CCL8 (C-C motif chemokine 8, MCP-2)	Makita et al., 2015 Gabrusiewicz et al., 2016
<b>CCL13</b> (C-C motif chemokine 13, MCP4, NCC1, SCYA13)	Abrial et al., 2015
<b>CCL14</b> (C-C motif chemokine 14, NCC2, SCYA14)	Jaguin et al., 2013
CCL15 (C-C motif chemokine 15, Chemokine CC-2, HCC-2, Leukotactin-1, LKN-1, MIP-1 delta, MIP-5, Mrp-2b, NCC-3, MIP5, NCC3, SCYA15)	Semnani et al., 2011
<b>CCL17</b> (C-C motif chemokine 17, SCYA17, TARC)	Shigematsu et al., 2009 Nakamura et al., 2015 Rajput et al., 2018
<b>CCL18</b> (C-C motif chemokine 18, AMAC1, DCCK1, MIP4, PARC, SCYA18)	Martinez-Nunez et al., 2011 Semnani et al., 2011 Rajput et al., 2018
<b>CCL22</b> (C-C motif chemokine 22, MDC, SCYA22)	Abrial et al., 2015 Jaguin et al., 2013 Rajput et al., 2018
<b>CCL23</b> (C-C motif chemokine 23, MIP3, MPIF1, SCYA23)	Novak et al., 2007 Gupta et al., 2018 Rajput et al., 2018
<b>CCL24</b> (C-C motif chemokine 24, CK-beta-6, Eotaxin-2, MPIF-2, CCL24, SCYA24)	Wang et al., 2021 Makita et al., 2015
CCL26 (C-C motif chemokine 26, Eotaxin-3, SCYA26)	Baxter et al., 2020
CCR2 (C-C chemokine receptor type 2, CD192, CMKBR2)	Chhor et al., 2013
CD11B (Cyclin-dependent kinase 11B, ITAM, ITGAM)	Bai et al., 2015 Tarique et al., 2015
CD11C (Integrin alpha-X, ITAX, ITGAX)	Bai et al., 2015
CD23A (Low affinity immunoglobulin epsilon Fc receptor, FCER2, CLEC4J, FCE2, IGEBF)	Martinez-Nunez et al., 2011
<b>CD200R</b> (Cell surface glycoprotein CD200 receptor 1, MO2R1)	Koning et al., 2010 Baxter et al., 2020 Huang et al., 2018
<b>CD206</b> (MRC1, mannose receptor, MR, MMR)	Medina-Buevas et al., 2019 Kisucká et al., 2021 Chhor et al., 2013 Rajput et al., 2018
<b>CD209</b> (C-type lectin domain family 4 member L, DC-SIGN)	Tarique et al., 2015 Martinez-Nunez et al., 2011 Rajput et al., 2018 Gabrusiewicz et al., 2016
CD273 (PDCD1LG2, PD1L2, Programmed cell death 1 ligand 2)	Semnani et al., 2011 Huber et al., 2010 Makita et al., 2015
CD274 (Programmed cell death 1 ligand 1, PD1L1, B7H1)	Semnani et al., 2011
<b>CLEC4A</b> (C-type lectin domain family 4 member A, CD367, DCIR, LLIR)	Rajput et al., 2018
CLEC10A (C-type lectin domain family 10 member A, Macrophage lectin 2, CD301, CLECSF13, CLECSF14, HML)	Zhao et al., 2020 Rajput et al., 2018
CSF1R (CSF-1 receptor, M-CSF-R, Proto-oncogene c-Fms, CD115, FMS)	Popova et al., 2011 Gabrusiewicz et al., 2016
CXCR1 (C-X-C chemokine receptor type 1, IL8RA, CD181)	Chhor et al., 2013 Bonecchi et al., 2000
CXCR2 (C-X-C chemokine receptor type 2, CDw128b, GRO/MGSA receptor, High affinity interleukin-8 receptor B, IL-8R B, IL-8 receptor type 2, CD182)	Bonecchi et al., 2000
<b>DECTIN1</b> (CLEC7A, Beta-glucan receptor, C-type lectin superfamily member 12, CD369)	Willment et al., 2003 Rajput et al., 2018 Forrester et al., 2018
EDN1 (Endothelin 1)	Makita et al., 2015
EGR2 (Early growth response protein 2, E3 SUMO-protein ligase EGR2, Zinc finger protein Krox-20, KROX20)	Geng et al., 2020

**Table S1 (continued)**

Gene name (full name, synonyms)	References
<i>FGF2</i> (Fibroblast growth factor 2, bFGF, HBGF-2)	Jetten et al., 2014
<i>FN1</i> (Fibronectin, cold-insoluble globulin, CIG, FINC)	Gratchev et al., 2001
<i>GAL3</i> (Galectin-3, 35 kDa lectin, CBP 35, GALBP, IgE-binding protein, Mac-2 antigen, <b>LGALS3</b> , <b>LEG3</b> )	Chhor et al., 2013
<i>HLA-DRA</i> (HLA class II histocompatibility antigen, DR alpha chain)	Court et al., 2017
<i>HLA-DRB1</i> (HLA class II histocompatibility antigen, DRB1 beta chain)	Court et al., 2017
<i>HLA-DRB3</i> (HLA class II histocompatibility antigen, DR beta 3 chain)	Court et al., 2017
<i>HLA-DPA1</i> (HLA class II histocompatibility antigen, DP alpha 1 chain)	Court et al., 2017
<i>HLA-DPB1</i> (HLA class II histocompatibility antigen, DP beta 1 chain)	Court et al., 2017
<i>HRH1</i> (Histamine H1 receptor)	Gabrusiewicz et al., 2016
<i>IGF1</i> (Insulin-like growth factor 1)	Chhor et al., 2013 Jetten et al., 2014
<b>IL1RA</b> (Interleukin-1 receptor antagonist protein, IL-1R, IL-1Ra, IL-R1, IL1RN, IL1F3)	Chhor et al., 2013 Kisucká et al., 2021
<b>IL1R2</b> (Interleukin-1 receptor type 2, IL1RB)	Huang et al., 2018
<i>IL4</i> (Interleukin-4)	Chhor et al., 2013 Melton et al., 2015
<i>IL10</i> (Interleukin-10)	Medina-Buelvas et al., 2019 Wang et al., 2021
<b>IL27</b> (Interleukin-27)	Sun et al., 2019
<i>IRF4</i> (Interferon regulatory factor 4)	Cui et al., 2020
<i>KLF2</i> (Krueppel-like factor 2)	Gabrusiewicz et al., 2016
<i>MMP9</i> (Matrix metalloproteinase-9)	Gabrusiewicz et al., 2016
<i>MMP14</i> (Matrix metalloproteinase-9)	Ogburn et al., 2021
<i>MRC2</i> (C-type mannose receptor 2, CLEC13E, ENDO180, KIAA0709, UPARAP, CD280)	Wu et al., 2016
<i>PGF</i> (Placenta growth factor, PGFL, <b>PLGF</b> )	Jetten et al., 2014
<b>PPARG</b> (Peroxisome proliferator-activated receptor gamma)	Jaguin et al., 2013 Wang et al., 2021
<i>PTGS1</i> (Prostaglandin G/H synthase 1, COX1, <b>PGH1</b> )	Abrial et al., 2015
<b>RAMP1</b> (Receptor activity-modifying protein 1, CRLR activity-modifying protein 1)	Fujiwara et al., 2016
<i>Scn3a</i> (sodium channel, voltage-gated, type III, $\alpha$ subunit)	Makita et al., 2015
<i>SOCS1</i> (Suppressor of cytokine signaling 1, SSI1, TIP3)	Martinez-Nunez et al., 2011
<b>TGFB1</b> (Transforming growth factor beta-1)	Chhor et al., 2013 Jaguin et al., 2013
<b>TGM2</b> (Transglutaminase 2)	Unuvar Purcu et al., 2022 Li et al., 2022 Huang et al., 2018
<i>TIM3</i> (Hepatitis A virus cellular receptor 2, <b>HAVCR2</b> , <b>HAVR2</b> , TIMD3)	Spiller et al., 2016
<i>TREM2</i> (Triggering receptor expressed on myeloid cells 2)	Nakanishi et al., 2011
<i>VEGFA</i> (Vascular endothelial growth factor A, VEGF)	Little et al., 2019
<i>VEGFR1</i> (Vascular endothelial growth factor receptor 1, FLT1)	Melton et al., 2015
M2b	
<b>CCL1</b> (C-C motif chemokine 1, Small-inducible cytokine A1, T lymphocyte-secreted protein I-309, SCYA1)	Nakamura et al., 2015 Sironi et al., 2006
<i>CCL4</i> (C-C motif chemokine 4, MIP-1b)	Anders et al., 2022
<i>CCL20</i> (C-C motif chemokine 20, MIP3A)	Sironi et al., 2006
<i>CD45</i> (Receptor-type tyrosine-protein phosphatase C, PTPRC)	Yue et al., 2020
<b>CD86</b> (T-lymphocyte activation antigen CD86, B70, BU63, CTLA-4 counter-receptor B7.2, FUN-1)	Hu et al., 2019 Feng et al., 2021 Huang et al., 2018
<b>CD163</b> (Scavenger receptor cysteine-rich type 1 protein M130)	Nakamura et al., 2015

**Table S1 (continued)**

Gene name (full name, synonyms)	References
CD206 (MRC1, mannose receptor, MR, MMR)	Medina-Buelvas et al., 2019 Feng et al., 2021
COX2 (Prostaglandin G/H synthase 2, PTGS2, PGH2)	Kudlik et al., 2016
CXCL3 (C-X-C motif chemokine 3, MIP2B, GRO3)	Sironi et al., 2006
<b>HLA-DRA</b> (HLA class II histocompatibility antigen, DR alpha chain)	Edwards et al., 2006 Medina-Buelvas et al., 2019 Huang et al., 2018
IFNA1 (Interferon alpha)	Anders et al., 2022
IL1B (Interleukin-1 beta, IL1F2)	Ohashi et al., 2022
IL1RA (Interleukin-1 receptor antagonist protein, IL-1R, IL-1Ra, IL-R1, IL1RN, IL1F3))	Costantino et al., 2020
<b>IL6</b> (Interleukin-6)	Yue et al., 2017 Huang et al., 2018
<b>IL10</b> (Interleukin-10)	Edwards et al., 2006 Yue et al., 2017 Nakamura et al., 2015
NOS2 (Nitric oxide synthase, inducible)	Edwards et al., 2006
RETN (Resistin, FIZZ3, HXCP1, RSTN)	
<b>SIGLEC10</b> (Sialic acid-binding Ig-like lectin 10, SIG10)	Fujiwara et al., 2016
<b>SPHK1</b> (Sphingosine kinase 1, SK1, SPHK, SPK)	Edwards et al., 2006
<b>TNF</b> (Tumor necrosis factor, TNFA, TNFSF2)	Yue et al., 2017 Huang et al., 2018
<b>TNFSF14</b> (Tumor necrosis factor ligand superfamily member 14, LIGHT, TNF14)	Edwards et al., 2006
VEGFA (Vascular endothelial growth factor A)	Anders et al., 2022
M2c	
ARG1 (Arginase-1)	Baxter et al., 2020 Gabrusiewicz et al., 2016
B7H4 (V-set domain-containing T-cell activation inhibitor 1, VTCN1)	Cao et al., 2010
<b>BCL3</b> (B-cell lymphoma 3 protein)	Kim et al., 2019
C1QA (Complement C1q subcomponent subunit A)	Ehrchen et al., 2007
CCL8 (C-C motif chemokine 8, MCP-2)	Makita et al., 2015
<b>CCL16</b> (C-C motif chemokine 16, ILINCK, NCC4, SCYA16, HCC-4)	Hedrick et al., 1998
CCL18 (C-C motif chemokine 18, CCL18 AMAC1, DCCK1, MIP4, PARC, SCYA18)	Porcheray et al., 2005 Park-Min et al., 2005
CCL23 (C-C motif chemokine 23, MIP3, MPIF1, SCYA23)	Park-Min et al., 2005
CCR2 (C-C chemokine receptor type 2, MCP-1-R, CD192)	Kuo et al., 2021
CCR3 (C-C chemokine receptor type 3, CCR3, CMKBR3)	Gabrusiewicz et al., 2016
CCR10 (C-C chemokine receptor type 10)	Angsana et al., 2016
CD11A (Integrin alpha-L, ITGAL, CDK11A)	Bai et al., 2015
CD11B (Cyclin-dependent kinase 11B, ITAM, ITGAM)	Bai et al., 2015
CD11C (Integrin alpha-X, ITAX, ITGAX)	Bai et al., 2015
CD14 (Monocyte differentiation antigen CD14)	Zizzo, Cohen, 2018
<b>CD163</b> (Scavenger receptor cysteine-rich type 1 protein M130)	Hu et al., 2019 Feng et al., 2021 Baxter et al., 2020 Fujiwara et al., 2016
CD204 (Macrophage scavenger receptor types I and II, Macrophage acetylated LDL receptor I and II, Scavenger receptor class A member 1, SCARA1, SR-A1, MSR, MSRE, MTRR)	Miyasato et al., 2017 Gabrusiewicz et al., 2016
<b>CD206</b> (MRC1, mannose receptor, MR, MMR)	Feng et al., 2021 Ehrchen et al., 2007
<b>CD300E (CLM2)</b>	Lurier et al., 2016
CSF1R	Gabrusiewicz et al., 2016
CX3CR1 (CX3C1)	Angsana et al., 2016

**Table S1 (continued)**

Gene name (full name, synonyms)	References
CXCL12 ( <i>SDF1</i> )	Gabrusiewicz et al., 2016
<b>CXCL13 (CXCL13)</b>	Shigematsu et al., 2009
CXCR4 ( <i>C-X-C chemokine receptor type 4, CD184, Fusin, LAP-3</i> )	Gabrusiewicz et al., 2016 Angsana et al., 2016
F5 ( <i>FA5</i> )	Lurier et al., 2016
FCRLA	Lurier et al., 2016
FPR1	Lurier et al., 2016
GAS6	Zizzo et al., 2012 Lurier et al., 2016
GXYLT2 ( <i>Glucoside xylosyltransferase, GXYLT2</i> )	Lurier et al., 2016
HIF1A	Gabrusiewicz et al., 2016
HIF2A ( <i>EPAS1</i> )	Gabrusiewicz et al., 2016
JAK3	Lurier et al., 2016
IL1B	Ohashi et al., 2022
IL1RA ( <i>IL1R1, IL1RN</i> )	Morganti et al., 2015
IL4R	Kisucká et al., 2021
IL10	Medina-Buevas et al., 2019 Ehrchen et al., 2007 Huang et al., 2018
IL21R	Park-Min et al., 2005
IRF3	Gabrusiewicz et al., 2016
IRF5	Gabrusiewicz et al., 2016
IRF8	Gabrusiewicz et al., 2016
LIN7A	Lurier et al., 2016
MAF ( <i>Transcription factor Maf, c-Maf</i> )	Gabrusiewicz et al., 2016
MARCO	Lurier et al., 2016 Park-Min et al., 2005
MCTP2	Lurier et al., 2016
<b>MERTK</b>	Zizzo et al., 2012 Ehrchen et al., 2007
MMP2	Gabrusiewicz et al., 2016
MMP8	Lurier et al., 2016
MM14 ( <i>Matrix metalloproteinase-14, MMP14, MTMMP1</i> )	Gabrusiewicz et al., 2016
MRC2 ( <i>C-type mannose receptor 2, CLEC13E, ENDO180, KIAA0709, UPARAP, CD280</i> )	Gabrusiewicz et al., 2016
NFKB1 ( <i>Nuclear factor NF-kappa-B p105 subunit</i> )	Gabrusiewicz et al., 2016
NOS2 ( <i>Nitric oxide synthase, inducible</i> )	Gabrusiewicz et al., 2016
PCOLCE2 ( <i>Procollagen C-endopeptidase enhancer 2, PCOC2</i> )	Lurier et al., 2016
PGF ( <i>Placenta growth factor, PGFL, PLGF</i> )	Jetten et al., 2014
PLOD2 ( <i>Procollagen-lysine,2-oxoglutarate 5-dioxygenase 2</i> )	Lurier et al., 2016
SEPP1 ( <i>Selenoprotein P, SELENO P, SELP, SeP</i> )	Baxter et al., 2020
SERPINA1 ( <i>Alpha-1-antitrypsin, A1AT</i> )	Lurier et al., 2016
SH3PXD2B ( <i>SH3 and PX domain-containing protein 2B, SPD2B</i> )	Lurier et al., 2016
SLAMF1 ( <i>Signaling lymphocytic activation molecule, CD150, SLAM, SLAF1, IPO3</i> )	Lurier et al., 2016
SOCS3 ( <i>Suppressor of cytokine signaling 3</i> )	Kisucká et al., 2021 Lurier et al., 2016
SPP1 ( <i>Osteopontin, OSTP, SGPP1</i> )	Gabrusiewicz et al., 2016
SRPX2 ( <i>Sushi repeat-containing protein SRPX2, SRPUL</i> )	Lurier et al., 2016
STAT1 ( <i>Signal transducer and activator of transcription 1</i> )	Park-Min et al., 2005
STAT3 ( <i>Signal transducer and activator of transcription 3</i> )	Gabrusiewicz et al., 2016
STAT6 ( <i>Signal transducer and activator of transcription 6</i> )	Gabrusiewicz et al., 2016

**Table S1 (continued)**

Gene name (full name, synonyms)	References
<b>TGFB1</b> ( <i>Transforming growth factor beta-1</i> )	Kisucká et al., 2021 Medina-Buelvas et al., 2019 Huang et al., 2018
THBS1 ( <i>Thrombospondin-1, TSP1</i> )	Jetten et al., 2014
TIMP1 ( <i>Metalloproteinase inhibitor 1</i> )	Lurier et al., 2016
<b>TLR1</b> ( <i>Toll-like receptor 1</i> )	Park-Min et al., 2005 Huang et al., 2018
TLR2 ( <i>Toll-like receptor 2, TIL4</i> )	Gabusiewicz et al., 2016
TLR4 ( <i>Toll-like receptor 4</i> )	Gabusiewicz et al., 2016
TLR5 ( <i>Toll-like receptor 5</i> )	Gabusiewicz et al., 2016
<b>TLR8</b> ( <i>Toll-like receptor 8</i> )	Park-Min et al., 2005 Huang et al., 2018
VCAN ( <i>Versican core protein, CSPG2</i> )	Lurier et al., 2016
<b>M2d</b>	
ADORA2 ( <i>Adenosine receptor A2a</i> )	Ferrante et al., 2013
Aif1 ( <i>allograft inflammatory factor 1</i> )	Biswas et al., 2006
C1qa ( <i>complement 1q, polypeptide alpha</i> )	Biswas et al., 2006
C1qg ( <i>complement 1q, polypeptide gamma</i> )	Biswas et al., 2006
CCL2 ( <i>C-C motif chemokine 2, MCP-1</i> )	Ferrante et al., 2013 Anders et al., 2022 Riabov et al., 2015
CCL3 ( <i>C-C motif chemokine 3, MIP-1a</i> )	Anders et al., 2022 Riabov et al., 2015
CCL4 ( <i>C-C motif chemokine 4, MIP-1b</i> )	Riabov et al., 2015
CCL5 ( <i>C-C motif chemokine 5, RANTES</i> )	Riabov et al., 2015 Biswas et al., 2006
CCL7 ( <i>C-C motif chemokine 2, MCP-3</i> )	Benner et al., 2019
CD81 ( <i>CD81 antigen, TAPA1, TSPAN28</i> )	Biswas et al., 2006
<b>CD204</b> ( <i>Macrophage scavenger receptor types I and II, MSR1, SCARA1</i> )	Shigeoka et al., 2013
CD206 ( <i>MRC1, mannose receptor, MR, MMR</i> )	Pradel et al., 2016
COX2 ( <i>Prostaglandin G/H synthase 2, PTGS2, PGH2</i> )	Li et al., 2015 Miyasato et al., 2018
CSF3R ( <i>G-CSF, CD114, GCSFR, Granulocyte colony-stimulating factor receptor</i> )	Ferrante et al., 2013
CXCL8 ( <i>Interleukin-8, IL8</i> )	Hosono et al., 2017
CXCL9 ( <i>C-X-C motif chemokine 9, CMK, MIG, SCYB9</i> )	Biswas et al., 2006
CXCL10 ( <i>C-X-C motif chemokine 10, IP10</i> )	Riabov et al., 2015 Biswas et al., 2006
CXCL16 ( <i>C-X-C motif chemokine 16, SCYB16, SRPSOX</i> )	Biswas et al., 2006
EGF ( <i>Pro-epidermal growth factor</i> )	Haque et al., 2019
FGF2 ( <i>Fibroblast growth factor 2, bFGF, HBGF-2</i> )	Takase et al., 2016
FGFR1	Takase et al., 2016
GDF15 ( <i>Growth Differentiation factor 15, macrophage inhibitory cytokine-1, MIC-1</i> )	Zheng et al., 2021
HLA-DMA ( <i>HLA class II histocompatibility antigen, DM alpha chain, DMA, RING6</i> )	Biswas et al., 2006
Idb3 ( <i>inhibitor of DNA binding 3, ID3</i> )	Biswas et al., 2006
IDO1 ( <i>Indoleamine 2,3-dioxygenase 1, IDO, INDO, 123O1</i> )	Miyasato et al., 2018
IDO2 ( <i>Indoleamine 2,3-dioxygenase 2, INDOL1, 123O2</i> )	Miyasato et al., 2018
IL1A ( <i>Interleukin-1 alpha, Hematopoietin-1</i> )	Ferrante et al., 2013 Anders et al., 2022
IL1b ( <i>Interleukin-1 beta</i> )	Ferrante et al., 2013 Riabov et al., 2015
IL6 ( <i>Interleukin-6</i> )	Miyasato et al., 2018

**Table S1 (end)**

Gene name (full name, synonyms)	References
<b>IL10</b> ( <i>Interleukin-10</i> )	Medina-Buelvas et al., 2019 Ferrante et al., 2013 Huang et al., 2018
<i>ILT3</i> ( <i>Leukocyte immunoglobulin-like receptor subfamily B member 4, LIRB4, LILRB4, LIR5</i> )	Duluc et al., 2009
<i>IRF7</i> ( <i>Interferon regulatory factor 7</i> )	Biswas et al., 2006
<i>LY6A</i> ( <i>Lymphocyte antigen 6 complex locus A</i> )	Biswas et al., 2006
<i>LY6E</i> ( <i>Lymphocyte antigen 6 complex locus E</i> )	Biswas et al., 2006
<i>MIF</i> ( <i>Migration inhibitory factor</i> )	Biswas et al., 2006
<i>MMP2</i> ( <i>Matrix metalloproteinase-2</i> )	Osinsky et al., 2011
<i>MMP9</i> ( <i>Matrix metalloproteinase-9</i> )	Luo et al., 2006
<i>MSR2</i> ( <i>Fc receptor like 2, FCRL2, FCRL5</i> )	Biswas et al., 2006
<i>NCAM1</i> ( <i>neural cell adhesion molecule</i> )	Takase et al., 2016
<i>NOS2</i> ( <i>Nitric oxide synthase, inducible</i> )	Ferrante et al., 2013
<i>PDGFB</i> ( <i>Platelet-derived growth factor subunit B, PDGF2, SIS</i> )	Anders et al., 2022
<i>PDL1</i> ( <i>Programmed death-1 ligand 1, PD1L1, CD274</i> )	Miyasato et al., 2018
<i>PDL2</i> ( <i>Programmed death-ligand 2, PDCD1LG2</i> )	Matsubara et al., 2023
<i>COX2</i> ( <i>Prostaglandin G/H synthase 2, PTGS2, PGH2</i> )	Zhang et al., 2022
<i>TBX6</i> ( <i>T-box transcription factor TBX6, T-box 6</i> )	Biswas et al., 2006
<b>TGFB</b> ( <i>transforming growth factor beta-induced, BIGH3</i> )	Ferrante et al., 2013 Anders et al., 2022 Huang et al., 2018 Biswas et al., 2006
<i>TNFA</i> ( <i>Tumor necrosis factor, TNFA, TNFSF2</i> )	Huang et al., 2018 Riabov et al., 2015
<b>VEGFA</b> ( <i>Vascular endothelial growth factor A</i> )	Medina-Buelvas et al., 2019 Ferrante et al., 2013

## References

- Abrial C, Grassin-Delyle S, Salvator H, Brollo M, Naline E, Devillier P. 15-Lipoxygenases regulate the production of chemokines in human lung macrophages. *Br J Pharmacol.* 2015 Sep;172(17):4319-30. doi: 10.1111/bph.13210.
- Ait-Lounis A, Laraba-Djebbari F. TNF-alpha modulates adipose macrophage polarization to M1 phenotype in response to scorpion venom. *Inflamm Res.* 2015 Nov;64(11):929-36. doi: 10.1007/s00011-015-0876-z. Epub 2015 Sep 24. PMID: 26403661.
- Ai Y, Liu S, Luo H, Wu S, Wei H, Tang Z, Li X, Zou C. lncRNA DCST1-AS1 Facilitates Oral Squamous Cell Carcinoma by Promoting M2 Macrophage Polarization through Activating NF-κB Signaling. *J Immunol Res.* 2021 Aug 8;2021:5524231. doi: 10.1155/2021/5524231.
- Alamri HS, Akiel MA, Alghassab TS, Alfihli MA, Alrfaei BM, Aljuma M, Barhoumi T. Erythritol modulates the polarization of macrophages: Potential role of tumor necrosis factor-α and Akt pathway. *J Food Biochem.* 2022 Jan;46(1):e13960. doi: 10.1111/jfbc.13960
- Anders CB, Lawton TMW, Smith HL, Garret J, Doucette MM, Ammons MCB. Use of integrated metabolomics, transcriptomics, and signal protein profile to characterize the effector function and associated metabolite of polarized macrophage phenotypes. *J Leukoc Biol.* 2022 Mar;111(3):667-693. doi: 10.1002/JLB.6A1120-744R.
- Angsana J, Chen J, Liu L, Haller CA, Chaikof EL. Efferocytosis as a regulator of macrophage chemokine receptor expression and polarization. *Eur J Immunol.* 2016 Jul;46(7):1592-9. doi: 10.1002/eji.201546262.
- Arnold CE, Whyte CS, Gordon P, Barker RN, Rees AJ, Wilson HM. A critical role for suppressor of cytokine signalling 3 in promoting M1 macrophage activation and function in vitro and in vivo. *Immunology.* 2014 Jan;141(1):96-110.
- Bai J, Adriani G, Dang TM, Tu TY, Penny HX, Wong SC, Kamm RD, Thiery JP. Contact-dependent carcinoma aggregate dispersion by M2a macrophages via ICAM-1 and β2 integrin interactions. *Oncotarget.* 2015 Sep 22;6(28):25295-307. doi: 10.18632/oncotarget.4716.
- Baitsch D, Bock HH, Engel T, Telgmann R, Müller-Tidow C, Varga G, Bot M, Herz J, Robenek H, von Eckardstein A, Nofer JR. Apolipoprotein E induces antiinflammatory phenotype in macrophages. *Arterioscler Thromb Vasc Biol.* 2011 May;31(5):1160-8. doi: 10.1161/ATVBAHA.111.222745.
- Bardi GT, Smith MA, Hood JL. Melanoma exosomes promote mixed M1 and M2 macrophage polarization. *Cytokine.* 2018 May;105:63-72. doi: 10.1016/j.cyto.2018.02.002.

- Baxter EW, Graham AE, Re NA, Carr IM, Robinson JI, Mackie SL, Morgan AW. Standardized protocols for differentiation of THP-1 cells to macrophages with distinct M(IFN $\gamma$ +LPS), M(IL-4) and M(IL-10) phenotypes. *J Immunol Methods*. 2020 Mar;478:112721.
- Benner B, Scarberry L, Suarez-Kelly LP, Duggan MC, Campbell AR, Smith E, Lapurga G, Jiang K, Butchar JP, Tridandapani S, Howard JH, Baiocchi RA, Mace TA, Carson WE 3rd. Generation of monocyte-derived tumor-associated macrophages using tumor-conditioned media provides a novel method to study tumor-associated macrophages in vitro. *J Immunother Cancer*. 2019 May 28;7(1):140. doi: 10.1186/s40425-019-0622-0.
- Benoit M, Desnues B, Mege JL. Macrophage polarization in bacterial infections. *J Immunol*. 2008 Sep 15;181(6):3733-9. doi: 10.4049/jimmunol.181.6.3733. PMID: 18768823.
- Beyer M, Mallmann MR, Xue J, Staratschek-Jox A, Vorholt D, Krebs W, Sommer D, Sander J, Mertens C, Nino-Castro A, Schmidt SV, Schultze JL. High-resolution transcriptome of human macrophages. *PLoS One*. 2012;7(9):e45466. doi: 10.1371/journal.pone.0045466.
- Biswas SK, Gangi L, Paul S, Schioppa T, Sacconi A, Sironi M, Bottazzi B, Doni A, Vincenzo B, Pasqualini F, Vago L, Nebuloni M, Mantovani A, Sica A. A distinct and unique transcriptional program expressed by tumor-associated macrophages (defective NF-kappaB and enhanced IRF-3/STAT1 activation). *Blood*. 2006 Mar 1;107(5):2112-22. doi: 10.1182/blood-2005-01-0428.
- Bonecchi R, Facchetti F, Dusi S, Luini W, Lissandrini D, Simmelink M, Locati M, Bernasconi S, Allavena P, Brandt E, Rossi F, Mantovani A, Sozzani S. Induction of functional IL-8 receptors by IL-4 and IL-13 in human monocytes. *J Immunol*. 2000 Apr 1;164(7):3862-9. doi: 10.4049/jimmunol.164.7.3862.
- Buddingh EP, Kuijjer ML, Duim RA, Bürger H, Agelopoulos K, Myklebost O, Serra M, Mertens F, Hogendoorn PC, Lankester AC, Cleton-Jansen AM. Tumor-infiltrating macrophages are associated with metastasis suppression in high-grade osteosarcoma: a rationale for treatment with macrophage activating agents. *Clin Cancer Res*. 2011 Apr 15;17(8):2110-9. doi: 10.1158/1078-0432.CCR-10-2047.
- Cao Q, Wang Y, Zheng D, Sun Y, Wang Y, Lee VW, Zheng G, Tan TK, Ince J, Alexander SI, Harris DC. IL-10/TGF-beta-modified macrophages induce regulatory T cells and protect against adriamycin nephrosis. *J Am Soc Nephrol*. 2010 Jun;21(6):933-42. doi: 10.1681/ASN.2009060592.
- Cassol E, Cassetta L, Rizzi C, Alfano M, Poli G. M1 and M2a polarization of human monocyte-derived macrophages inhibits HIV-1 replication by distinct mechanisms. *J Immunol*. 2009 May 15;182(10):6237-46. doi: 10.4049/jimmunol.0803447.
- Chhor V, Le Charpentier T, Lebon S, Oré MV, Celador IL, Jossierand J, Degos V, Jacotot E, Hagberg H, Sävman K, Mallard C, Gressens P, Fleiss B. Characterization of phenotype markers and neurotoxic potential of polarised primary microglia in vitro. *Brain Behav Immun*. 2013 Aug;32:70-85. doi: 10.1016/j.bbi.2013.02.005.
- Chu YB, Li J, Jia P, Cui J, Zhang R, Kang X, Lv M, Zhang S. Irf1- and Egr1-activated transcription plays a key role in macrophage polarization: A multiomics sequencing study with partial validation. *Int Immunopharmacol*. 2021 Oct;99:108072. doi: 10.1016/j.intimp.2021.108072.
- Costantino MD, Schuster A, Helmholz H, Meyer-Rachner A, Willumeit-Römer R, Luthringer-Feyerabend BJC. Inflammatory response to magnesium-based biodegradable implant materials. *Acta Biomater*. 2020 Jan 1;101:598-608. doi: 10.1016/j.actbio.2019.10.014.
- Court M, Petre G, Atifi ME, Millet A. Proteomic Signature Reveals Modulation of Human Macrophage Polarization and Functions Under Differing Environmental Oxygen Conditions. *Mol Cell Proteomics*. 2017 Dec;16(12):2153-2168. doi: 10.1074/mcp.RA117.000082.
- Cui X, Kong X, Chen R, Ma L, Jiang L. The potential role of leflunomide in inhibiting vascular fibrosis by down-regulating type-II macrophages in Takayasu's arteritis. *Clin Exp Rheumatol*. 2020 Mar-Apr;38 Suppl 124(2):69-78.
- Da Silva RAB, Da Silva LAB, Gabriel-Junior EA, Sorgi CA, Faccioli LH, Massoni VV, Nelson-Filho P, Pucinelli CM. M1 and M2 macrophages phenotypes modulation after stimuli with materials used in endodontic treatment. *Braz Dent J*. 2021 May-Jun;32(3):32-43. doi: 10.1590/0103-6440202104038.
- De Boer AA, Monk JM, Liddle DM, Power KA, Ma DW, Robinson LE. Fish Oil-Derived Long-Chain n-3 Polyunsaturated Fatty Acids Reduce Expression of M1-Associated Macrophage Markers in an ex vivo Adipose Tissue Culture Model, in Part through Adiponectin. *Front Nutr*. 2015 Oct 13;2:31. doi: 10.3389/fnut.2015.00031.
- Duluc D, Corvaisier M, Blanchard S, Catala L, Descamps P, Gamelin E, Ponsoda S, Delneste Y, Hebbar M, Jeannin P. Interferon-gamma reverses the immunosuppressive and protumoral properties and prevents the generation of human tumor-associated macrophages. *Int J Cancer*. 2009 Jul 15;125(2):367-73. doi: 10.1002/ijc.24401. PMID: 19378341.
- Edwards JP, Zhang X, Frauwirth KA, Mosser DM. Biochemical and functional characterization of three activated macrophage populations. *J Leukoc Biol*. 2006 Dec;80(6):1298-307. doi: 10.1189/jlb.0406249.
- Engström A, Erlandsson A, Delbro D, Wijkander J. Conditioned media from macrophages of M1, but not M2 phenotype, inhibit the proliferation of the colon cancer cell lines HT-29 and CACO-2. *Int J Oncol*. 2014 Feb;44(2):385-92. doi: 10.3892/ijo.2013.2203.
- Ehrchen J, Steinmüller L, Barczyk K, Tenbrock K, Nacken W, Eisenacher M, Nordhues U, Sorg C, Sunderkötter C, Roth J. Glucocorticoids induce differentiation of a specifically activated, anti-inflammatory subtype of human monocytes. *Blood*. 2007 Feb 1;109(3):1265-74. doi: 10.1182/blood-2006-02-001115.
- Feng D, Huang WY, Niu XL, Hao S, Zhang LN, Hu YJ. Significance of Macrophage Subtypes in the Peripheral Blood of Children with Systemic Juvenile Idiopathic Arthritis. *Rheumatol Ther*. 2021 Dec;8(4):1859-1870. doi: 10.1007/s40744-021-00385-x.

- Ferrante CJ, Pinhal-Enfield G, Elson G, Cronstein BN, Hasko G, Outram S, Leibovich SJ. The adenosine-dependent angiogenic switch of macrophages to an M2-like phenotype is independent of interleukin-4 receptor alpha (IL-4R $\alpha$ ) signaling. *Inflammation*. 2013 Aug;36(4):921-31. doi: 10.1007/s10753-013-9621-3.
- Forrester MA, Wassall HJ, Hall LS, Cao H, Wilson HM, Barker RN, Vickers MA. Similarities and differences in surface receptor expression by THP-1 monocytes and differentiated macrophages polarized using seven different conditioning regimens. *Cell Immunol*. 2018 Oct;332:58-76. doi: 10.1016/j.cellimm.2018.07.008.
- Fowler DW, Copier J, Dalgleish AG, Bodman-Smith MD. Zoledronic acid renders human M1 and M2 macrophages susceptible to V $\delta$ 2+  $\gamma$  $\delta$  T cell cytotoxicity in a perforin-dependent manner. *Cancer Immunol Immunother*. 2017 Sep;66(9):1205-1215. doi: 10.1007/s00262-017-2011-1.
- Fujiwara Y, Hizukuri Y, Yamashiro K, Makita N, Ohnishi K, Takeya M, Komohara Y, Hayashi Y. Guanylate-binding protein 5 is a marker of interferon- $\gamma$ -induced classically activated macrophages. *Clin Transl Immunology*. 2016 Nov 2;5(11):e111. doi: 10.1038/cti.2016.59.
- Furusato E, Shen D, Cao X, Furusato B, Nussenblatt RB, Rushing EJ, Chan CC. Inflammatory cytokine and chemokine expression in sympathetic ophthalmia: a pilot study. *Histol Histopathol*. 2011 Sep;26(9):1145-51. doi: 10.14670/HH-26.1145.
- Gabusiewicz K, Rodriguez B, Wei J, Hashimoto Y, Healy LM, Maiti SN, Thomas G, Zhou S, Wang Q, Elakkad A, Liebelt BD, Yaghi NK, Ezhilarasan R, Huang N, Weinberg JS, Prabhu SS, Rao G, Sawaya R, Langford LA, Bruner JM, Fuller GN, Bar-Or A, Li W, Colen RR, Curran MA, Bhat KP, Antel JP, Cooper LJ, Sulman EP, Heimberger AB. Glioblastoma-infiltrated innate immune cells resemble M0 macrophage phenotype. *JCI Insight*. 2016;1(2):e85841. doi: 10.1172/jci.insight.85841.
- Gaiser AK, Bauer S, Ruez S, Holzmann K, Fändrich M, Syrovets T, Simmet T. Serum Amyloid A1 Induces Classically Activated Macrophages: A Role for Enhanced Fibrin Formation. *Front Immunol*. 2021 Jun 30;12:691155. doi: 10.3389/fimmu.2021.691155.
- Geng Y, Hardie J, Landis RF, Mas-Rosario JA, Chattopadhyay AN, Keshri P, Sun J, Rizzo EM, Gopalakrishnan S, Farkas ME, Rotello VM. High-content and high-throughput identification of macrophage polarization phenotypes. *Chem Sci*. 2020 Jul 22;11(31):8231-8239. doi: 10.1039/d0sc02792h.
- Gratchev A, Guillot P, Hakiy N, Politz O, Orfanos CE, Schledzewski K, Goerdts S. Alternatively activated macrophages differentially express fibronectin and its splice variants and the extracellular matrix protein betaIG-H3. *Scand J Immunol*. 2001 Apr;53(4):386-92. doi: 10.1046/j.1365-3083.2001.00885.x.
- Gupta S, Jain A, Syed SN, Snodgrass RG, Pflüger-Müller B, Leisegang MS, Weigert A, Brandes RP, Ebersberger I, Brüne B, Namgaladze D. IL-6 augments IL-4-induced polarization of primary human macrophages through synergy of STAT3, STAT6 and BATF transcription factors. *Oncoimmunology*. 2018 Jul 30;7(10):e1494110. doi: 10.1080/2162402X.2018.1494110.
- Halvorsen B, Espeland MZ, Andersen GØ, Yndestad A, Sagen EL, Rashidi A, Knudsen EC, Skjelland M, Skagen KR, Krohg-Sørensen K, Holm S, Ritschel V, Holven KB, Biessen EA, Aukrust P, Dahl TB. Increased expression of NAMPT in PBMC from patients with acute coronary syndrome and in inflammatory M1 macrophages. *Atherosclerosis*. 2015 Nov;243(1):204-10. doi: 10.1016/j.atherosclerosis.2015.09.010
- Hedrick JA, Helms A, Vicari A, Zlotnik A. Characterization of a novel CC chemokine, HCC-4, whose expression is increased by interleukin-10. *Blood*. 1998 Jun 1;91(11):4242-7. PMID: 9596672.
- Hirani D, Alvira CM, Danopoulos S, Milla C, Donato M, Tian L, Mohr J, Dinger K, Vohlen C, Selle J, Koningsbruggen-Rietschel SV, Barbarino V, Pallasch C, Rose-John S, Odenthal M, Pryhuber GS, Mansouri S, Savai R, Seeger W, Khatri P, Al Alam D, Dötsch J, Alejandre Alcazar MA. Macrophage-derived IL-6 trans-signaling as a novel target in the pathogenesis of bronchopulmonary dysplasia. *Eur Respir J*. 2021 Aug 26;2002248. doi: 10.1183/13993003.02248-2020
- Hosono M, Koma YI, Takase N, Urakawa N, Higashino N, Suemune K, Kodaira H, Nishio M, Shigeoka M, Kakeji Y, Yokozaki H. CXCL8 derived from tumor-associated macrophages and esophageal squamous cell carcinomas contributes to tumor progression by promoting migration and invasion of cancer cells. *Oncotarget*. 2017 Nov 20;8(62):106071-106088. doi: 10.18632/oncotarget.22526.
- Hou Y, Shi J, Guo Y, Shi G. Inhibition of angiogenic macrophages reduces disc degeneration-associated pain. *Front Bioeng Biotechnol*. 2022 Oct 11;10:962155. doi: 10.3389/fbioe.2022.962155.
- Hu W, Lin J, Lian X, Yu F, Liu W, Wu Y, Fang X, Liang X, Hao W. M2a and M2b macrophages predominate in kidney tissues and M2 subpopulations were associated with the severity of disease of IgAN patients. *Clin Immunol*. 2019 Aug;205:8-15. doi: 10.1016/j.clim.2019.05.005.
- Hu W, Jiang Z, Zhang Y, Liu Q, Fan J, Luo N, Dong X, Yu X. Characterization of infiltrating macrophages in high glucose-induced peritoneal fibrosis in rats. *Mol Med Rep*. 2012 Jul;6(1):93-9. doi: 10.3892/mmr.2012.890.
- Huang X, Li Y, Fu M, Xin HB. Polarizing Macrophages In Vitro. *Methods Mol Biol*. 2018;1784:119-126. doi: 10.1007/978-1-4939-7837-3\_12. PMID: 29761394; PMCID: PMC8875934.
- Huber S, Hoffmann R, Muskens F, Voehringer D. Alternatively activated macrophages inhibit T-cell proliferation by Stat6-dependent expression of PD-L2. *Blood*. 2010 Oct 28;116(17):3311-20. doi: 10.1182/blood-2010-02-271981.
- Islam T, Koboziev I, Albracht-Schulte K, Mistretta B, Scoggin S, Yosofvand M, Moussa H, Zabet-Moghaddam M, Ramalingam L, Gunaratne PH, Moustaid-Moussa N. Curcumin Reduces Adipose Tissue Inflammation and Alters Gut Microbiota in Diet-Induced Obese Male Mice. *Mol Nutr Food Res*. 2021 Nov;65(22):e2100274. doi: 10.1002/mnfr.202100274.

- Jablonski KA, Amici SA, Webb LM, Ruiz-Rosado Jde D, Popovich PG, Partida-Sanchez S, Guerau-de-Arellano M. Novel Markers to Delineate Murine M1 and M2 Macrophages. *PLoS One*. 2015 Dec 23;10(12):e0145342. doi: 10.1371/journal.pone.0145342.
- Jaguin M, Houlbert N, Fardel O, Lecureur V. Polarization profiles of human M-CSF-generated macrophages and comparison of M1-markers in classically activated macrophages from GM-CSF and M-CSF origin. *Cell Immunol*. 2013 Jan;281(1):51-61. doi: 10.1016/j.cellimm.2013.01.010.
- Jetten N, Verbruggen S, Gijbels MJ, Post MJ, De Winther MP, Donners MM. Anti-inflammatory M2, but not pro-inflammatory M1 macrophages promote angiogenesis in vivo. *Angiogenesis*. 2014 Jan;17(1):109-18. doi: 10.1007/s10456-013-9381-6.
- Juknat A, Pietr M, Kozela E, Rimmerman N, Levy R, Gao F, Coppola G, Geschwind D, Vogel Z. Microarray and pathway analysis reveal distinct mechanisms underlying cannabinoid-mediated modulation of LPS-induced activation of BV-2 microglial cells. *PLoS One*. 2013 Apr 24;8(4):e61462. doi: 10.1371/journal.pone.0061462.
- Kim D, Koh J, Ko JS, Kim HY, Lee H, Chung DH. Ubiquitin E3 Ligase Pellino-1 Inhibits IL-10-mediated M2c Polarization of Macrophages, Thereby Suppressing Tumor Growth. *Immune Netw*. 2019 Oct 17;19(5):e32. doi: 10.4110/in.2019.19.e32.
- Kisucká A, Bimbová K, Bačová M, Gálík J, Lukáčová N. Activation of Neuroprotective Microglia and Astrocytes at the Lesion Site and in the Adjacent Segments Is Crucial for Spontaneous Locomotor Recovery after Spinal Cord Injury. *Cells*. 2021 Jul 30;10(8):1943. doi: 10.3390/cells10081943.
- Komohara Y, Jinushi M, Takeya M. Clinical significance of macrophage heterogeneity in human malignant tumors. *Cancer Sci*. 2014 Jan;105(1):1-8. doi: 10.1111/cas.12314.
- Koning N, van Eijk M, Pouwels W, Brouwer MS, Voehringer D, Huitinga I, Hoek RM, Raes G, Hamann J. Expression of the inhibitory CD200 receptor is associated with alternative macrophage activation. *J Innate Immun*. 2010;2(2):195-200. doi: 10.1159/000252803.
- Kudlik G, Hegyi B, Czibula Á, Monostori É, Buday L, Uher F. Mesenchymal stem cells promote macrophage polarization toward M2b-like cells. *Exp Cell Res*. 2016 Oct 15;348(1):36-45. doi: 10.1016/j.yexcr.2016.08.022.
- Kuo CH, Tsai ML, Li CH, Hsiao HP, Chao MC, Lee MS, Lin YC, Hung CH. Altered Pattern of Macrophage Polarization as a Biomarker for Severity of Childhood Asthma. *J Inflamm Res*. 2021 Nov 18;14:6011-6023. doi: 10.2147/JIR.S319754.
- Kurtzberg J, Buntz S, Gentry T, Noeldner P, Ozamiz A, Rusche B, Storms RW, Wollish A, Wenger DA, Balber AE. Reprint of: Pre-clinical characterization of DUOC-01, a cell therapy product derived from banked umbilical cord blood for use as an adjuvant to umbilical cord blood transplantation for treatment of inherited metabolic diseases. *Cytotherapy*. 2015 Sep;17(9):1314-26. doi: 10.1016/j.jcyt.2015.07.014.
- Lee JT, Pamir N, Liu NC, Kirk EA, Averill MM, Becker L, Larson I, Hagman DK, Foster-Schubert KE, van Yserloo B, Bornfeldt KE, LeBoeuf RC, Kratz M, Heinecke JW. Macrophage metalloelastase (MMP12) regulates adipose tissue expansion, insulin sensitivity, and expression of inducible nitric oxide synthase. *Endocrinology*. 2014 Sep;155(9):3409-20. doi: 10.1210/en.2014-1037.
- Lee MK, Moore XL, Fu Y, Al-Sharea A, Dragoljevic D, Fernandez-Rojo MA, Parton R, Sviridov D, Murphy AJ, Chin-Dusting JP. High-density lipoprotein inhibits human M1 macrophage polarization through redistribution of caveolin-1. *Br J Pharmacol*. 2016 Feb;173(4):741-51. doi: 10.1111/bph.13319.
- Lewis CV, Vinh A, Diep H, Samuel CS, Drummond GR, Kemp-Harper BK. Distinct Redox Signalling following Macrophage Activation Influences Profibrotic Activity. *J Immunol Res*. 2019 Nov 11;2019:1278301. doi: 10.1155/2019/1278301.
- Li H, Yang B, Huang J, Lin Y, Xiang T, Wan J, Li H, Chouaib S, Ren G. Cyclooxygenase-2 in tumor-associated macrophages promotes breast cancer cell survival by triggering a positive-feedback loop between macrophages and cancer cells. *Oncotarget*. 2015 Oct 6;6(30):29637-50. doi: 10.18632/oncotarget.4936.
- Li P, Ma C, Li J, You S, Dang L, Wu J, Hao Z, Li J, Zhi Y, Chen L, Sun S. Proteomic characterization of four subtypes of M2 macrophages derived from human THP-1 cells. *J Zhejiang Univ Sci B*. 2022 May 15;23(5):407-422. doi: 10.1631/jzus.B2100930.
- Liao WT, Lu JH, Wang WT, Hung CH, Sheu CC, Huang SK. Epigenetic synergism between interleukin-4 and aryl-hydrocarbon receptor in human macrophages. *J Mol Med (Berl)*. 2017 Apr;95(4):395-404. doi: 10.1007/s00109-016-1493-1.
- Little AC, Pathanjeli P, Wu Z, Bao L, Goo LE, Yates JA, Oliver CR, Soellner MB, Merajver SD. IL-4/IL-13 Stimulated Macrophages Enhance Breast Cancer Invasion Via Rho-GTPase Regulation of Synergistic VEGF/CCL-18 Signaling. *Front Oncol*. 2019 May 31;9:456. doi: 10.3389/fonc.2019.00456.
- Liu Y, Stewart KN, Bishop E, Marek CJ, Kluth DC, Rees AJ, Wilson HM. Unique expression of suppressor of cytokine signaling 3 is essential for classical macrophage activation in rodents in vitro and in vivo. *J Immunol*. 2008 May 1;180(9):6270-8. doi: 10.4049/jimmunol.180.9.6270
- Liu CP, Zhang X, Tan QL, Xu WX, Zhou CY, Luo M, Li X, Huang RY, Zeng X. NF- $\kappa$ B pathways are involved in M1 polarization of RAW 264.7 macrophage by polyporus polysaccharide in the tumor microenvironment. *PLoS One*. 2017 Nov 20;12(11):e0188317. doi: 10.1371/journal.pone.0188317.
- Lotze MT, Tracey KJ. High-mobility group box 1 protein (HMGB1): nuclear weapon in the immune arsenal. *Nat Rev Immunol* 2005;5, 331–342.
- Luiz JPM, Toller-Kawahisa JE, Viacava PR, Nascimento DC, Pereira PT, Saraiva AL, Prado DS, LeBert M, Giuriso E, Tournier C, Cunha TM, Cunha FQ, Quesniaux V, Ryffel B, Alves-Filho JC. MEK5/ERK5 signaling mediates IL-4-induced M2 macrophage differentiation through regulation of c-Myc expression. *J Leukoc Biol*. 2020 Oct;108(4):1215-1223. doi: 10.1002/JLB.1MA0520-016R. Epub 2020 Aug 3. PMID: 32745297.

- Luo Y, Zhou H, Krueger J, Kaplan C, Lee SH, Dolman C, Markowitz D, Wu W, Liu C, Reisfeld RA, Xiang R. Targeting tumor-associated macrophages as a novel strategy against breast cancer. *J Clin Invest*. 2006 Aug;116(8):2132-2141. doi: 10.1172/JCI27648.
- Lurier EB, Dalton D, Dampier W, Raman P, Nassiri S, Ferraro NM, Rajagopalan R, Sarmady M, Spiller KL. Transcriptome analysis of IL-10-stimulated (M2c) macrophages by next-generation sequencing. *Immunobiology*. 2017 Jul;222(7):847-856. doi: 10.1016/j.imbio.2017.02.006.
- MacParland SA, Tsoi KM, Ouyang B, Ma XZ, Manuel J, Fawaz A, Ostrowski MA, Alman BA, Zilman A, Chan WC, McGilvray ID. Phenotype Determines Nanoparticle Uptake by Human Macrophages from Liver and Blood. *ACS Nano*. 2017 Mar 28;11(3):2428-2443. doi: 10.1021/acsnano.6b06245.
- Makita N, Hizukuri Y, Yamashiro K, Murakawa M, Hayashi Y. IL-10 enhances the phenotype of M2 macrophages induced by IL-4 and confers the ability to increase eosinophil migration. *Int Immunol*. 2015 Mar;27(3):131-41. doi: 10.1093/intimm/ixu090.
- Martín-Fernández B, Rubio-Navarro A, Cortegano I, Ballesteros S, Alía M, Cannata-Ortiz P, Olivares-Álvaro E, Egido J, de Andrés B, Gaspar ML, de Las Heras N, Lahera V, Moreno JA. Aldosterone Induces Renal Fibrosis and Inflammatory M1-Macrophage Subtype via Mineralocorticoid Receptor in Rats. *PLoS One*. 2016 Jan 5;11(1):e0145946. doi: 10.1371/journal.pone.0145946.
- Martinez FO, Gordon S. The M1 and M2 paradigm of macrophage activation: time for reassessment. *F1000Prime Rep*. 2014 Mar 3;6:13. doi: 10.12703/P6-13.
- Martinez FO, Gordon S, Locati M, Mantovani A. Transcriptional profiling of the human monocyte-to-macrophage differentiation and polarization: new molecules and patterns of gene expression. *J Immunol*. 2006 Nov 15;177(10):7303-11. doi: 10.4049/jimmunol.177.10.7303
- Martinez-Nunez RT, Louafi F, Sanchez-Elsner T. The interleukin 13 (IL-13) pathway in human macrophages is modulated by microRNA-155 via direct targeting of interleukin 13 receptor alpha 1 (IL13Ralpha1). *J Biol Chem*. 2011 Jan 21;286(3):1786-94. doi: 10.1074/jbc.M110.169367.
- Matsubara E, Shinchi Y, Komohara Y, Yano H, Pan C, Fujiwara Y, Ikeda K, Suzuki M. PD-L2 overexpression on tumor-associated macrophages is one of the predictors for better prognosis in lung adenocarcinoma. *Med Mol Morphol*. 2023 Jul 4. doi: 10.1007/s00795-023-00361-0.
- Medina-Buelvas DM, Estrada-Muñiz E, Rodríguez-Sosa M, Shibayama M, Vega L. Increased heart fibrosis and acute infection in a murine Chagas disease model associated with organophosphorus pesticide metabolite exposure. *Sci Rep*. 2019 Nov 26;9(1):17539. doi: 10.1038/s41598-019-54218-7.
- Melton DW, McManus LM, Gelfond JA, Shireman PK. Temporal phenotypic features distinguish polarized macrophages in vitro. *Autoimmunity*. 2015 May;48(3):161-76. doi: 10.3109/08916934.2015.1027816.
- Miyasato Y, Shiota T, Ohnishi K, Pan C, Yano H, Horlad H, Yamamoto Y, Yamamoto-Ibusuki M, Iwase H, Takeya M, Komohara Y. High density of CD204-positive macrophages predicts worse clinical prognosis in patients with breast cancer. *Cancer Sci*. 2017 Aug;108(8):1693-1700.
- Miyasato Y, Takashima Y, Takeya H, Yano H, Hayano A, Nakagawa T, Makino K, Takeya M, Yamanaka R, Komohara Y. The expression of PD-1 ligands and IDO1 by macrophage/microglia in primary central nervous system lymphoma. *J Clin Exp Hematop*. 2018;58(2):95-101. doi: 10.3960/jslrt.18001.
- Moretti R, Leger PL, Besson VC, Csaba Z, Pansiot J, Di Criscio L, Gentili A, Titomanlio L, Bonnin P, Baud O, Charriaut-Marlangue C. Sildenafil, a cyclic GMP phosphodiesterase inhibitor, induces microglial modulation after focal ischemia in the neonatal mouse brain. *J Neuroinflammation*. 2016 Apr 28;13(1):95. doi: 10.1186/s12974-016-0560-4.
- Morganti JM, Jopson TD, Liu S, Riparip LK, Guandique CK, Gupta N, Ferguson AR, Rosi S. CCR2 antagonism alters brain macrophage polarization and ameliorates cognitive dysfunction induced by traumatic brain injury. *J Neurosci*. 2015 Jan 14;35(2):748-60. doi: 10.1523/JNEUROSCI.2405-14.2015.
- Nakamura K, Ito I, Kobayashi M, Herndon DN, Suzuki F. Orosomucoid 1 drives opportunistic infections through the polarization of monocytes to the M2b phenotype. *Cytokine*. 2015 May;73(1):8-15. doi: 10.1016/j.cyto.2015.01.017.
- Nakanishi Y, Nakatsuji M, Seno H, Ishizu S, Akitake-Kawano R, Kanda K, Ueo T, Komekado H, Kawada M, Minami M, Chiba T. COX-2 inhibition alters the phenotype of tumor-associated macrophages from M2 to M1 in ApcMin/+ mouse polyps. *Carcinogenesis*. 2011 Sep;32(9):1333-9. doi: 10.1093/carcin/bgr128.
- Nasirzade J, Kargarpour Z, Panahipour L, Gruber R. Acid Dentin Lysate Modulates Macrophage Polarization and Osteoclastogenesis In Vitro. *Materials (Basel)*. 2021 Nov 16;14(22):6920. doi: 10.3390/ma14226920.
- Nishikoba N, Kumagai K, Kanmura S, Nakamura Y, Ono M, Eguchi H, Kamibayashiyama T, Oda K, Mawatari S, Tanoue S, Hashimoto S, Tsubouchi H, Ido A. HGF-MET Signaling Shifts M1 Macrophages Toward an M2-Like Phenotype Through PI3K-Mediated Induction of Arginase-1 Expression. *Front Immunol*. 2020 Sep 2;11:2135. doi: 10.3389/fimmu.2020.02135.
- Novak H, Müller A, Harrer N, Günther C, Carballido JM, Woisetschläger M. CCL23 expression is induced by IL-4 in a STAT6-dependent fashion. *J Immunol*. 2007 Apr 1;178(7):4335-41. doi: 10.4049/jimmunol.178.7.4335.
- Ogburn D, Bhalla S, Leffler N, Mohan A, Malur A, Malur AG, McPeck M, Barna BP, Thomassen MJ. The M2a Macrophage Phenotype Accompanies Pulmonary Granuloma Resolution in Mmp12 Knock-Out Mice Instilled with Multiwall Carbon Nanotubes. *Int J Mol Sci*. 2021 Oct 13;22(20):11019. doi: 10.3390/ijms222011019.

- Ohashi Y, Uchida K, Fukushima K, Satoh M, Koyama T, Tsuchiya M, Saito H, Uchiyama K, Takahira N, Inoue G, Takaso M. Correlation between CD163 expression and resting pain in patients with hip osteoarthritis: Possible contribution of CD163+ monocytes/macrophages to pain pathogenesis. *J Orthop Res.* 2022 Jun;40(6):1365-1374. doi: 10.1002/jor.25157.
- Osinsky S, Bubnovskaya L, Ganusevich I, Kovelskaya A, Gumenyuk L, Olijnichenko G, Merentsev S. Hypoxia, tumour-associated macrophages, microvessel density, VEGF and matrix metalloproteinases in human gastric cancer: interaction and impact on survival. *Clin Transl Oncol.* 2011 Feb;13(2):133-8. doi: 10.1007/s12094-011-0630-0.
- Otsuka K, Yamada K, Taquahashi Y, Arakaki R, Ushio A, Saito M, Yamada A, Tsunematsu T, Kudo Y, Kanno J, Ishimaru N. Long-term polarization of alveolar macrophages to a profibrotic phenotype after inhalation exposure to multi-wall carbon nanotubes. *PLoS One.* 2018 Oct 29;13(10):e0205702. doi: 10.1371/journal.pone.0205702.
- Paschalidi P, Gkouveris I, Soundia A, Kalfarentzos E, Vardas E, Georgaki M, Kostakis G, Erovcic BM, Tetradis S, Perisanidis C, Nikitakis NG. The role of M1 and M2 macrophage polarization in progression of medication-related osteonecrosis of the jaw. *Clin Oral Investig.* 2021 May;25(5):2845-2857. doi: 10.1007/s00784-020-03602-z.
- Park-Min KH, Antoniv TT, Ivashkiv LB. Regulation of macrophage phenotype by long-term exposure to IL-10. *Immunobiology.* 2005;210(2-4):77-86. doi: 10.1016/j.imbio.2005.05.002.
- Popova A, Kzhyshkowska J, Nurgazieva D, Goerdts S, Gratchev A. Pro- and anti-inflammatory control of M-CSF-mediated macrophage differentiation. *Immunobiology.* 2011 Jan-Feb;216(1-2):164-72. doi: 10.1016/j.imbio.2010.06.003.
- Porcheray F, Viaud S, Rimaniol AC, Léone C, Samah B, Dereuddre-Bosquet N, Dormont D, Gras G. Macrophage activation switching: an asset for the resolution of inflammation. *Clin Exp Immunol.* 2005 Dec;142(3):481-9. doi: 10.1111/j.1365-2249.2005.02934.x.
- Pradel LP, Ooi CH, Romagnoli S, Cannarile MA, Sade H, Rüttinger D, Ries CH. Macrophage Susceptibility to Emactuzumab (RG7155) Treatment. *Mol Cancer Ther.* 2016 Dec;15(12):3077-3086. doi: 10.1158/1535-7163.MCT-16-0157.
- Haque ASMR, Moriyama M, Kubota K, Ishiguro N, Sakamoto M, Chinju A, Mochizuki K, Sakamoto T, Kaneko N, Munemura R, Maehara T, Tanaka A, Hayashida JN, Kawano S, Kiyoshima T, Nakamura S. CD206+ tumor-associated macrophages promote proliferation and invasion in oral squamous cell carcinoma via EGF production. *Sci Rep.* 2019 Oct 10;9(1):14611. doi: 10.1038/s41598-019-51149-1.
- Rajput C, Walsh MP, Eder BN, Metitiri EE, Popova AP, Hershenson MB. Rhinovirus infection induces distinct transcriptome profiles in polarized human macrophages. *Physiol Genomics.* 2018 May 1;50(5):299-312. doi: 10.1152/physiolgenomics.00122.2017.
- Riabov V, Kim D, Chhina S, Alexander RB, Klyushnenkova EN. Immunostimulatory early phenotype of tumor-associated macrophages does not predict tumor growth outcome in an HLA-DR mouse model of prostate cancer. *Cancer Immunol Immunother.* 2015 Jul;64(7):873-83. doi: 10.1007/s00262-015-1697-1.
- Semnani RT, Mahapatra L, Moore V, Sanprasert V, Nutman TB. Functional and phenotypic characteristics of alternative activation induced in human monocytes by interleukin-4 or the parasitic nematode *Brugia malayi*. *Infect Immun.* 2011 Oct;79(10):3957-65. doi: 10.1128/IAI.05191-11.
- Shigematsu K, Asai A, Kobayashi M, Herndon DN, Suzuki F. Enterococcus faecalis translocation in mice with severe burn injury: a pathogenic role of CCL2 and alternatively activated macrophages (M2aMphi and M2cMphi). *J Leukoc Biol.* 2009 Oct;86(4):999-1005. doi: 10.1189/jlb.0409235.
- Shigeoka M, Urakawa N, Nakamura T, Nishio M, Watajima T, Kuroda D, Komori T, Kakeji Y, Semba S, Yokozaki H. Tumor associated macrophage expressing CD204 is associated with tumor aggressiveness of esophageal squamous cell carcinoma. *Cancer Sci.* 2013 Aug;104(8):1112-9. doi: 10.1111/cas.12188.
- Sironi M, Martinez FO, D'Ambrosio D, Gattorno M, Polentarutti N, Locati M, Gregorio A, Iellem A, Cassatella MA, Van Damme J, Sozzani S, Martini A, Sinigaglia F, Vecchi A, Mantovani A. Differential regulation of chemokine production by Fcγ receptor engagement in human monocytes: association of CCL1 with a distinct form of M2 monocyte activation (M2b, Type 2). *J Leukoc Biol.* 2006 Aug;80(2):342-9. doi: 10.1189/jlb.1005586.
- Spiller KL, Wrona EA, Romero-Torres S, Pallotta I, Graney PL, Witherel CE, Panicker LM, Feldman RA, Urbanska AM, Santambrogio L, Vunjak-Novakovic G, Freytes DO. Differential gene expression in human, murine, and cell line-derived macrophages upon polarization. *Exp Cell Res.* 2016 Sep 10;347(1):1-13. doi: 10.1016/j.yexcr.2015.10.017.
- Sun M, Sun L, Huang C, Chen BC, Zhou Z. Induction of Macrophage M2b/c Polarization by Adipose Tissue-Derived Mesenchymal Stem Cells. *J Immunol Res.* 2019 Jun 19;2019:7059680. doi: 10.1155/2019/7059680.
- Szulzewsky F, Pelz A, Feng X, Synowitz M, Markovic D, Langmann T, Holtman IR, Wang X, Eggen BJ, Boddeke HW, Hambardzumyan D, Wolf SA, Kettenmann H. Glioma-associated microglia/macrophages display an expression profile different from M1 and M2 polarization and highly express Gpnmb and Spp1. *PLoS One.* 2015 Feb 6;10(2):e0116644. doi: 10.1371/journal.pone.0116644.
- Takase N, Koma Y, Urakawa N, Nishio M, Arai N, Akiyama H, Shigeoka M, Kakeji Y, Yokozaki H. NCAM- and FGF-2-mediated FGFR1 signaling in the tumor microenvironment of esophageal cancer regulates the survival and migration of tumor-associated macrophages and cancer cells. *Cancer Lett.* 2016 Sep 28;380(1):47-58. doi: 10.1016/j.canlet.2016.06.009.
- Tarique AA, Logan J, Thomas E, Holt PG, Sly PD, Fantino E. Phenotypic, functional, and plasticity features of classical and alternatively activated human macrophages. *Am J Respir Cell Mol Biol.* 2015 Nov;53(5):676-88. doi: 10.1165/rcmb.2015-0012OC.
- Trombetta AC, Soldano S, Contini P, Tomatis V, Ruaro B, Paolino S, Brizzolara R, Montagna P, Sulli A, Pizzorni C, Smith V, Cutolo M. A circulating cell population showing both M1 and M2 monocyte/macrophage surface markers characterizes systemic sclerosis patients with lung involvement. *Respir Res.* 2018 Sep 24;19(1):186. doi: 10.1186/s12931-018-0891-z.

- Unuvar Purcu D, Korkmaz A, Gunalp S, Helvacı DG, Erdal Y, Dogan Y, Suner A, Wingender G, Sag D. Effect of stimulation time on the expression of human macrophage polarization markers. *PLoS One*. 2022 Mar 14;17(3):e0265196. doi: 10.1371/journal.pone.0265196.
- van der Lans AA, Boon MR, Haks MC, Quinten E, Schaart G, Ottenhoff TH, van Marken Lichtenbelt WD. Cold acclimation affects immune composition in skeletal muscle of healthy lean subjects. *Physiol Rep*. 2015 Jul;3(7):e12394. doi: 10.14814/phy2.12394
- Wang K, Zhou W, Cai Q, Cheng J, Cai R, Xing R. SUMOylation of KLF4 promotes IL-4 induced macrophage M2 polarization. *Cell Cycle*. 2017 Feb 16;16(4):374-381. doi: 10.1080/15384101.2016.1269045.
- Wang X, Gao S, Song L, Liu M, Sun Z, Liu J. Astragaloside IV antagonizes M2 phenotype macrophage polarization-evoked ovarian cancer cell malignant progression by suppressing the HMGB1-TLR4 axis. *Mol Immunol*. 2021 Feb;130:113-121.
- Whyte CS, Bishop ET, Rückerl D, Gaspar-Pereira S, Barker RN, Allen JE, Rees AJ, Wilson HM. Suppressor of cytokine signaling (SOCS)1 is a key determinant of differential macrophage activation and function. *J Leukoc Biol*. 2011 Nov;90(5):845-54. doi: 10.1189/jlb.1110644.
- Willment JA, Lin HH, Reid DM, Taylor PR, Williams DL, Wong SY, Gordon S, Brown GD. Dectin-1 expression and function are enhanced on alternatively activated and GM-CSF-treated macrophages and are negatively regulated by IL-10, dexamethasone, and lipopolysaccharide. *J Immunol*. 2003 Nov 1;171(9):4569-73. doi: 10.4049/jimmunol.171.9.4569.
- Wu MF, Lin CA, Yuan TH, Yeh HY, Su SF, Guo CL, Chang GC, Li KC, Ho CC, Chen HW. The M1/M2 spectrum and plasticity of malignant pleural effusion-macrophage in advanced lung cancer. *Cancer Immunol Immunother*. 2021 May;70(5):1435-1450. doi: 10.1007/s00262-020-02781-8.
- Wu XQ, Yang Y, Li WX, Cheng YH, Li XF, Huang C, Meng XM, Wu BM, Liu XH, Zhang L, Lv XW, Li J. Telomerase reverse transcriptase acts in a feedback loop with NF- $\kappa$ B pathway to regulate macrophage polarization in alcoholic liver disease. *Sci Rep*. 2016 Jan 4;6:18685. doi: 10.1038/srep18685.
- Yao Z, Zhang J, Zhang B, Liang G, Chen X, Yao F, Xu X, Wu H, He Q, Ding L, Yang B. Imatinib prevents lung cancer metastasis by inhibiting M2-like polarization of macrophages. *Pharmacol Res*. 2018 Jul;133:121-131. doi: 10.1016/j.phrs.2018.05.002.
- Yue Y, Huang S, Wang L, Wu Z, Liang M, Li H, Lv L, Li W, Wu Z. M2b Macrophages Regulate Cardiac Fibroblast Activation and Alleviate Cardiac Fibrosis After Reperfusion Injury. *Circ J*. 2020 Mar 25;84(4):626-635. doi: 10.1253/circj.CJ-19-0959.
- Yue Y, Yang X, Feng K, Wang L, Hou J, Mei B, Qin H, Liang M, Chen G, Wu Z. M2b macrophages reduce early reperfusion injury after myocardial ischemia in mice: A predominant role of inhibiting apoptosis via A20. *Int J Cardiol*. 2017 Oct 15;245:228-235. doi: 10.1016/j.ijcard.2017.07.085.
- Zhang J, Zhang H, Ding X, Hu J, Li Y, Zhang J, Wang H, Qi S, Xie A, Shi J, Xiang M, Bin Y, Wang G, Wang L, Wang Z. Crosstalk between macrophage-derived PGE2 and tumor UHRF1 drives hepatocellular carcinoma progression. *Theranostics*. 2022 May 1;12(8):3776-3793. doi: 10.7150/thno.69494. PMID: 35664070
- Zhao M, Li F, Jian Y, Wang X, Yang H, Wang J, Su J, Lu X, Xi M, Wen A, Li J. Salvianolic acid B regulates macrophage polarization in ischemic/reperfused hearts by inhibiting mTORC1-induced glycolysis. *Eur J Pharmacol*. 2020 Mar 15;871:172916. doi: 10.1016/j.ejphar.2020.172916.
- Zheng H, Yu S, Zhu C, Guo T, Liu F, Xu Y. HIF1 $\alpha$  promotes tumor chemoresistance via recruiting GDF15-producing TAMs in colorectal cancer. *Exp Cell Res*. 2021 Jan 15;398(2):112394. doi: 10.1016/j.yexcr.2020.112394.
- Zizzo G, Cohen PL. Antibody Cross-Linking of CD14 Activates MerTK and Promotes Human Macrophage Clearance of Apoptotic Neutrophils: the Dual Role of CD14 at the Crossroads Between M1 and M2c Polarization. *Inflammation*. 2018 Dec;41(6):2206-2221. doi: 10.1007/s10753-018-0864-x.
- Zizzo G, Hilliard BA, Monestier M, Cohen PL. Efficient clearance of early apoptotic cells by human macrophages requires M2c polarization and MerTK induction. *J Immunol*. 2012 Oct 1;189(7):3508-20. doi: 10.4049/jimmunol.1200662.

**Table S2.** Comparative characteristics of the proteomic profiles of M2a, M2b, M2c and M2d macrophages described in the work (Li et al., 2022)

	M2a	M2b	M2c	M2d
The number of differentially expressed proteins in total	227	241	217	236
Total quantity ↑*	118	120	95	124
Total quantity ↓**	109	121	122	112
Number of unique ↑***	22	11	4	14
Number of unique ↓****	38	43	44	36

↑\* Proteins with increased expression levels;

↓\*\* proteins with decreased expression levels.

↓\*\*\* Proteins unique to this macrophage phenotype with increased expression levels;


↓\*\*\*\* proteins unique to this macrophage phenotype with decreased expression levels.

**Table S3.** Examples of the distribution of differentially expressed proteins described in (Li et al., 2022) across the M2a, M2b, M2c, and M2d macrophage phenotypes


	M2a	M2b	M2c	M2d
ACTG1	↑	↑	↑	↑
ACTA1	↑	↑	↑	↑
RHOB	↑	↑	↑	↑
ACOT2	↑	↑	↑	↑
CDK4	↑	↑	↑	↑
HMGA2	↑	↑	↑	↑
POTEKP	↑	↑	↑	-
NAMPT	-	↑	-	↑
IL1B	-	↑	-	↑
CD14	-	↑	-	↑
CXCL10	↑	-	-	↑
NFYB	↑	-	-	-
CCL5	↑	-	-	-
IL1A	-	-	-	↑
PZP	↓	↓	↓	↓
CCND1	↓	↓	↓	-
HSP90AA2P	↓	-	↓	↓
CD38	↓	-	↓	-
GDF15	-	-	-	↓
CXCL8 (IL8)	-	-	↓	-




**Fig. S1.** Potential regulatory effects of differentially expressed proteins from (Li et al., 2022) on phenotype-associated genes in M2a.




**Fig. S2.** Potential regulatory effects of differentially expressed proteins from (Li et al., 2022) on phenotype-associated genes in M2c.




**Fig. S3.** Potential regulatory effects of differentially expressed proteins from (Li et al., 2022) on phenotype-associated genes in M2d.



**Fig. S4.** Regulation of phenotype-associated genes in the M2b phenotype by mediator proteins statistically significantly associated with these genes. Proteins are boxed: blue if the protein level is decreased in this macrophage phenotype according to the data published by P. Li et al. (2022), or red if the protein level is increased.



**Fig. S5.** Regulation of phenotype-associated genes in the M2c phenotype by mediator proteins statistically significantly associated with these genes. Proteins are boxed: blue if the protein level is decreased in this macrophage phenotype according to the data published by P. Li et al. (2022), or red if the protein level is increased.



**Fig. S6.** Regulation of phenotype-associated genes in the M2d phenotype by mediator proteins statistically significantly associated with these genes. Proteins are boxed: blue if the protein level is decreased in this macrophage phenotype according to the data published by P. Li et al. (Li et al., 2022), or red if the protein level is increased.